ESPRIMO Desktops

FUJITSU

ESPRIMO P400	ESPRIMO E400 E85+	ESPRIMO P400
Your Immediately Available Office PC	**Your Flexible Economy PC**	**Your Immediately Available Office PC**
Processor, Chipset, Memory Intel® Pentium® processor G645 (2.90 GHz), 3 MB, Intel® H61	**Processor, Chipset, Memory** Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® H61	**Processor, Chipset, Memory** Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® H61
2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1333 MHz, PC3-10600, DIMM	2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1333 MHz, PC3-10600, DIMM	2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1333 MHz, PC3-10600, DIMM
Drives HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi
Communication, Network LAN: 10/100/1000 MBit/s Realtek RTL 8111E	**Communication, Network** LAN: 10/100/1000 MBit/s Realtek RTL 8111E	**Communication, Network** LAN: 10/100/1000 MBit/s Realtek RTL 8111E
Display, Grafic Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB
Dimensions / Weight / Environmental 9 kg 175 x 425 x 353 mm	**Dimensions / Weight / Environmental** 10 kg 330 x 405 x 104 mm	**Dimensions / Weight / Environmental** 9 kg 175 x 425 x 353 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA
Slots, Bays 1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays
Warranty 1 year Bring-in Service	**Warranty** 1 year Bring-in Service	**Warranty** 1 year Bring-in Service
€ 349 VFY:P0400P3231NL	**€ 449** VFY:E0400P3311NL	**€ 449** VFY:P0400P3301NL

ESPRIMO E510 E85+	ESPRIMO P510 E85+	ESPRIMO P400
Your Flexible Economy PC	**Your Flexible and Economic PC**	**Your Immediately Available Office PC**
Processor, Chipset, Memory Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® B75	**Processor, Chipset, Memory** Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® B75	**Processor, Chipset, Memory** Intel® Core™ i5-3470 processor (3.20 GHz), 6 MB, Intel® H61
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1333 MHz, PC3-10600, DIMM
Drives HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi
Communication, Network LAN: 10/100/1000 MBit/s Realtek RTL 8111E	**Communication, Network** LAN: 10/100/1000 MBit/s Realtek RTL 8111E	**Communication, Network** LAN: 10/100/1000 MBit/s Realtek RTL 8111E
Display, Grafic Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB
Dimensions / Weight / Environmental 10 kg 340 x 382 x 98 mm	**Dimensions / Weight / Environmental** 10 kg 175 x 425 x 353 mm	**Dimensions / Weight / Environmental** 9 kg 175 x 425 x 353 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2x 2.0/ 2x 3.0 x USB internal, 1 x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2x 2.0/ 2x 3.0 x USB internal, 1 x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 x Front audio: headphone, 1 x Front audio: microphone, 2 x USB front, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 8 x USB 2.0 total, 4 x USB rear, optional USB 3.0 total, 2 x USB internal, 1 x VGA
Slots, Bays 2 x PCI-Express x1, 1 x PCI slots, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays	**Slots, Bays** 2 x PCI-Express x1, 1 x PCI slots, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x16, 2 x PCI-Express x1, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays
Warranty 1 year Bring-in Service	**Warranty** 1 year Bring-in Service	**Warranty** 1 year Bring-in Service
€ 499 VFY:E0510P3311NL	**€ 499** VFY:P0510P3311NL	**€ 549** VFY:P0400P3521NL

ESPRIMO P510 E85+	ESPRIMO Q510	ESPRIMO C710
Your Flexible and Economic PC	**The Mini with More PC per cm**	**Your Ultra Small Form Factor PC**
Processor, Chipset, Memory Intel® Core™ i5-3470 processor (3.20 GHz), 6 MB, Intel® B75 2 x 4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	**Processor, Chipset, Memory** Intel® Core™ i3-2120T processor (2.60 GHz), 3 MB, Intel® H61 4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM	**Processor, Chipset, Memory** Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® Q75 4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM
Drives HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch MultiCard Reader 24in1 USB 2.0 3.5” DVD Super Multi	**Drives** HDD SATA II, 5400 rpm, 750 GB, 2.5-inch DVD Super Multi Slot-in slim	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD SuperMulti SATA slim
Communication, Network LAN: 10/100/1000 MBit/s Realtek RTL 8111E	**Communication, Network** Bluetooth: 1 (optional) LAN: 10/100/1000 MBit/s Intel® 82579 LM	**Communication, Network** LAN: 10/100/1000 MBit/s Intel® 82579 V
Display, Grafic NVIDIA® GeForce® GT630 DisplayPort 2GB FH, 2 GB Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500 (depending on processor), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB
Dimensions / Weight / Environmental 10 kg 175 x 425 x 353 mm	**Dimensions / Weight / Environmental** 1.6 kg 185 x 188 x 54 mm	**Dimensions / Weight / Environmental** 9 kg 265 x 315 x 88 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system**	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2x 2.0/ 2x 3.0 x USB internal, 1 x VGA	**Interfaces** 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 (DVI-I) x DVI, 2x 2.0 x USB front, 1 x HDMI, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x Multicardreader, 6 x USB 2.0 total, 4x 2.0 x USB rear, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 2 x Serial (RS-232) (powered, 9pin, 16 byte FIFO, 16550 compatible), 8 x USB 2.0 total, 4x 2.0/ 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA
Slots, Bays 2 x PCI-Express x1, 1 x PCI slots, 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x 5.25-inch external bays	**Slots, Bays** 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays
Warranty 1 year Bring-in Service	**Warranty** 1 year Bring-in Service	**Warranty** 1 year Bring-in Service
€ 549 VFY:P0510PR562NL	**€ 549** VFY:Q0510PR312NL	**€ 549** VFY:C0710P3351NL

FUJITSU

ESPRIMO E710 E90+	ESPRIMO P710 E90+	ESPRIMO Q510
Your Desktop PC Without Any Compromises	**The Expandable Business Workhorse**	**The Mini with More PC per cm**
Processor, Chipset, Memory Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® Q75	**Processor, Chipset, Memory** Intel® Core™ i3-2130 processor (3.40 GHz), 3 MB, Intel® Q75	**Processor, Chipset, Memory** Intel® Core™ i3-2120T processor (2.60 GHz), 3 MB, Intel® H61
4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM
Drives HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA II, 5400 rpm, 500 GB, 2.5-inch DVD Super Multi Slot-in slim
Communication, Network LAN: 10/100/1000 MBit/s Intel® 82579 V	**Communication, Network** LAN: 10/100/1000 MBit/s Intel® 82579 V	**Communication, Network** Bluetooth: 1 (optional) LAN: 10/100/1000 MBit/s Intel® 82579 LM
Display, Grafic Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500 (depending on processor), up to 1759 MB
Dimensions / Weight / Environmental 10 kg 340 x 382 x 98 mm	**Dimensions / Weight / Environmental** 11 kg 175 x 419 x 395 mm	**Dimensions / Weight / Environmental** 1.6 kg 185 x 188 x 54 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 (DVI-I) x DVI, 2x 2.0 x USB front, 1 x HDMI, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x Multicardreader, 6 x USB 2.0 total, 4x 2.0 x USB rear, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN
Slots, Bays 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x 5.25-inch external bays
Warranty 1 year Bring-in Service	**Warranty** 1 year Bring-in Service	**Warranty** 1 year Bring-in Service
€ 549 VFY:E0710P3351NL	**€ 549** VFY:P0710P3351NL	**€ 599** VFY:Q0510P3311NL

ESPRIMO E910 0-Watt	ESPRIMO P910 0-Watt	ESPRIMO Q910
The Innovative 0-Watt PC	**The Innovative 0-Watt PC**	**The Mini with More PC per cm**
Processor, Chipset, Memory Intel® Core™ i5-3470 processor (3.20 GHz), 6 MB, Intel® Q77 2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	**Processor, Chipset, Memory** Intel® Core™ i5-3470 processor (3.20 GHz), 6 MB, Intel® Q77 2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	**Processor, Chipset, Memory** Intel® Core™ i5-3470T processor (2.90 GHz), 3 MB, Intel® Q77 4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM
Drives HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 500 GB, 3.5-inch DVD Super Multi	**Drives** HDD SATA II, 5400 rpm, 500 GB, 2.5-inch DVD Super Multi Slot-in slim
Communication, Network LAN: 10/100/1000 MBit/s Intel® 82579 LM	**Communication, Network** LAN: 10/100/1000 MBit/s Intel® 82579 LM	**Communication, Network** Bluetooth: 1 (optional) LAN: 10/100/1000 MBit/s Intel® 82579 LM
Display, Grafic Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500 (depending on processor), up to 1759 MB
Dimensions / Weight / Environmental 10 kg 340 x 382 x 98 mm	**Dimensions / Weight / Environmental** 11 kg 175 x 419 x 395 mm	**Dimensions / Weight / Environmental** 1.6 kg 185 x 188 x 54 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 2x 3.0 x USB front, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 x Multicardreader, 2 x USB 2.0 total, 2x 2.0 and 2x 3.0 x USB rear, 4 x USB 3.0 total, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN
Slots, Bays 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x 5.25-inch external bays
Warranty 3 year Bring-in Service	**Warranty** 3 year Bring-in Service	**Warranty** 3 year Bring-in Service
€ 699 VFY:E0910PXG51NL	**€ 699** VFY:P0910PXG51NL	**€ 799** VFY:Q0910PXP51NL

ESPRIMO P710 E90+	ESPRIMO P910 E90+	ESPRIMO P910 E90+
The Expandable Business Workhorse	**The Expandable Business Workhorse**	**The Expandable Business Workhorse**
Processor, Chipset, Memory Intel® Core™ i5-3570 processor (3.40 GHz), 6 MB, Intel® Q75	**Processor, Chipset, Memory** Intel® Core™ i5-3570 processor (3.40 GHz), 6 MB, Intel® Q77	**Processor, Chipset, Memory** Intel® Core™ i7-3770 processor (3.40 GHz), 8 MB, Intel® Q77
2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	2 x 2 GB (1 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM	2 x 4 GB (1 module(s) 4 GB) DDR3, unbuffered, non-ECC, 1600 MHz, PC3-12800, DIMM
Drives HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch MultiCard Reader 24in1 USB 2.0 3.5” DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch MultiCard Reader 24in1 USB 2.0 3.5” DVD Super Multi	**Drives** HDD SATA III, 7200 rpm, 1000 GB, 3.5-inch MultiCard Reader 24in1 USB 2.0 3.5” DVD Super Multi
Communication, Network LAN: 10/100/1000 MBit/s Intel® 82579 V	**Communication, Network** LAN: 10/100/1000 MBit/s Intel® 82579 LM	**Communication, Network** LAN: 10/100/1000 MBit/s Intel® 82579 LM
Display, Grafic Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** NVIDIA® GeForce® GT630 DisplayPort 2GB FH 0-Watt, 2 GB Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB	**Display, Grafic** NVIDIA® GeForce® GT630 DisplayPort 2GB FH 0-Watt, 2 GB Intel® HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU), up to 1759 MB
Dimensions / Weight / Environmental 11 kg 175 x 419 x 395 mm	**Dimensions / Weight / Environmental** 11 kg 175 x 419 x 395 mm	**Dimensions / Weight / Environmental** 11 kg 175 x 419 x 395 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA	**Interfaces** 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 1 x Front audio: headphone, 1 x Front audio: microphone, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 10 x USB 2.0 total, 6x 2.0 / 2x 3.0 x USB rear, 4 x USB 3.0 total, 2 x USB internal, 1 (via DVI to VGA adapter, part of shipment) x VGA
Slots, Bays 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays	**Slots, Bays** 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express x1, 1 x PCI slots, 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays
Warranty 1 year Bring-in Service	**Warranty** 3 year Bring-in Service	**Warranty** 3 year Bring-in Service
€ 899 VFY:P0710PXP51NL	**€ 899** VFY:P0910PXP51NL	**€ 1.099** VFY:P0910PXP91NL

ESPRIMO X913	ESPRIMO X913 Touch
Evolutionary PC for the Modern Office	**Evolutionary PC for the Modern Office**
Processor, Chipset, Memory Intel® Core™ i5-3470T processor (2.90 GHz), 3 MB, Intel® Q77 4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM	**Processor, Chipset, Memory** Intel® Core™ i5-3470T processor (2.90 GHz), 3 MB, Intel® Q77 4 GB (1 module(s) 4 GB) DDR3, non-ECC, 1600 MHz, PC3-12800, SO DIMM
Drives HDD SATA II, 5400 rpm, 500 GB, 2.5-inch	**Drives** HDD SATA II, 5400 rpm, 500 GB, 2.5-inch
Communication, Network Bluetooth: 1 (optional with WLAN module) LAN: 10/100/1000 MBit/s Intel® 82579 LM	**Communication, Network** Bluetooth: 1 (optional with WLAN module) LAN: 10/100/1000 MBit/s Intel® 82579 LM
Display, Grafic Intel® HD Graphics#Intel® HD Graphics 2000#Intel® HD Graphics 2500, up to 1759 MB	**Display, Grafic** Intel® HD Graphics#Intel® HD Graphics 2000#Intel® HD Graphics 2500, up to 1759 MB
Dimensions / Weight / Environmental 5.94 kg 533 x 224 x 419 mm	**Dimensions / Weight / Environmental** 8.62 kg 554 x 225 x 433 mm
Operating system Pre-installed: Windows 8 Pro	**Operating system** Pre-installed: Windows 8 Pro
Interfaces 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 x DVI, optional with camera module x Internal microphones, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 4 x USB 3.0 total, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN	**Interfaces** 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, 1 x DVI, optional with camera module x Internal microphones, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 4 x USB 3.0 total, 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN
Slots, Bays 0 x 2.5-inch bays	**Slots, Bays** 0 x 2.5-inch bays
Warranty 3 year Bring-in Service	**Warranty** 3 year Bring-in Service
€ 979	**€ 1.149**
VFY:X9130P3511NL	VFY:X913TP3511NL